


Optimized Geometry



Self drilling fasteners for Cladding and Cassette Systems

The New SD-H15-E11 Optimized shear resistance

The SD-H15-E11-5.5 is a self drilling fastener ideally suited for cladding and cassette systems. The underhead cone and visible deformation of the EDPM washer substantially reduce the risk of overtightening and improve the security of attachment. The optimized geometry also provides high shear resistance. Durocoat® coating ensures excellent protection against corrosion. This unique combination gives secure and lasting mounting. Self drilling fasteners also save time and money.



Self drilling fastener Suitable for every type of cladding

SD6-H15-E11, Durocoat® 1000h

Carbon steel fastener for Z profiles

Product code	PU	L	CL _{met}	VD	
SD6-H15-E11-5.5×22	500	22	0–8	6	1769390

SD14-H15-E11, Durocoat® 480h

Carbon steel fastener for T and U fittings

Product code	PU	L	CL _{met}	VD	
SD14-H15-E11-5.5×34	500	34	0–22	14	1769406

SD20-H15-E11, Durocoat® 480h

Carbon steel fastener for T and U fittings

Product code	PU	L	CL _{met}	VD		
SD20-H15-E11-5.5×50	500	50	0–20	20	1769338	

 $\mathsf{CL}_{\mathsf{met}}$: Clamping length, VD: max. drilling capacity



Accessories

Product code	PU	Drive	Head drive	
SOK-IT-1/4"-57-6Nm	1	1/4"	SW8	1667323
SOK-IT-1/4"-57-8Nm				1667322
Drive shank H15 head	5		H15	1517546

All measures in mm



© SFS, 03/2024, TD_FP-A-IPA_en, V1.01